



**G.B. PANT UNIVERSITY OF AGRI. & TECH.
PANTNAGAR, U.S. NAGAR (UTTARAKHAND)**

Tender Invitation form in Two Bid System

Dated:- 22-02-2022

No. DS.W/PE/167

M/s.....
.....

Sub: SUPPLY OF GYM EQUIPMENTS

“PLEASE CAREFULLY GO THROUGH THIS DOCUMENT AND ENSURE COMPLIANCE. NON-COMPLIANCE OF ANY CONDITION MAY MAKE YOUR OFFER INVALID”

Dear Sir,

We are interested in the Purchase of the articles mentioned overleaf. Tenders are invited from the manufacturers and their authorized dealers/distributors. Please send your tender in **SEALED COVERS (sealed with sealing wax)** so as reach this office on or before 24-03-2022 **Registered/Speed Post/Courier/by hand** while submitting tenders please note that:-

1. The tender is to be submitted under **two bid system i.e. Technical Bid & Financial Bid**. Technical Bid & Financial Bid will be received in two separate sealed envelopes. Both the envelopes will then be put in to one big envelope and sealed properly super scribing “**Technical Bid & Financial bid for the supply of, your No..... dt 24-3-2022 Due date**”
2. (a) The Technical bid should be consisting of all technical details/specification EMD in separate envelope as required in para 14 and other requirements as mentioned overleaf and your terms & conditions. The envelope contained technical bid should be super scribed “**Technical bid for the supply & installation of**”
(b) The financial bid should indicate items wise price for the item mentioned in technical bid. The envelope contained Financial bid should be super scribed “**Financial bid for the supply & installation of**”
3. Rates quoted should be F.O.R. Pantnagar including packing forwarding and transit insurance. The goods should be insured against theft, loss or breakage during transit by the supplier before dispatch is made. The responsibility in this respect will be of the supplying firm and not of the University.
4. The bidder should be in active business of similar items from atleast 03 years evident from audited balances sheets of previous 3 years ending March-2020.
5. The Qualifiers Turnover of the bidder should be atleast 1 Crore Per Year amounting to Rs 3 Crore during previous 3 years.
6. The rates of tax (GST) should be clearly indicated at which rate it is chargeable.
7. Please also quote your **GSTIN & PAN No.** on your tender. Copy of **GST registration & PAN Card must be enclosed.**
8. In case of the item being on GeM, please enclose a copy of the same page.
9. The tenderers have to submit the registration certificate of firm and authorization certificate from OEM with their tenders mandatorily.
10. Each tender is to be enclosed in a cover. The cover should be sealed and super-scribed, “**Tender for..... Tender Invitation No..... dated:..... due date**”. The cover should bear address of the undersigned.
11. The tender shall be opened in the presence of the representative of any or all of the quoting firms at **3.00 p.m. on next day or on 2nd or 4th Saturday in the office of Stores Purchase Officer, at G.B. Pant University of Agriculture & Technology, Pantnagar.**
12. Payment will be released through online transfer or by crossed cheques on the State Bank of India/United Commercial Bank/Punjab National Bank, Pantnagar or an account payee draft, at the cost of the supplier, only after the receipt of material in good condition.
13. The acceptance of the tender will rest with the Vice-Chancellor who does not bind himself to accept the lowest rate quoted tender and also reserves the right to reject fully or partially any or all the tenders received without assigning any reason.
14. In case of any dispute the matter shall be referred to the Vice-Chancellor of this University whose decision shall be binding to both the parties.
15. In case of supply order being placed on you:
“As time is the essence of this order, the date of delivery should be strictly adhered to, otherwise the Vice-Chancellor reserves the right not to accept delivery in part or full and claim the liquidated damages @ 1% per week subject to a maximum of 10% of total value of the supply order.”
16. **You will have to deposit earnest money @ 3% of the total rate(s) quoted upto 25 lac or @ 2% (minimum 75,000.00) of the total rate(s) quoted above 25 lac by you in the form of demand draft/ fixed deposit receipt/ bankers cheque in favour of Comptroller, G.B. Pant University of Agriculture & Technology, payable only at SBI/PNB/UCO/Union Bank, Pantnagar. In case, you are awarded with the order, you will have to deposit Performance Security @ 5% of ordered value at the time of supply. The earnest money submitted with tender will be released on furnishing of Performance Security.**
17. The tenders are liable to be cancelled, if any of the above conditions are not complied with.
18. The validity of rates should be 180 days from the date of opening of bid tender.
19. This tender is governed by Uttarakhand Procurement Rules – 2017 (as amended from time to time), hence its relevant provisions shall apply.

Yours faithfully

Dean Student welfare
Signature & Seal of P.O.
G.B. Pant Univ. of Agri & Tech.
Specification overleaf
Pantnagar-263145 (Uttarakhand)
Dean Student Welfare

Swiged *SW*

SUPPLY OF GYM EQUIPMENTS OF PHYSICAL EDUCATION

Sl no	Name of Item & make	Requirement	To Be filled by the Supplier		
			Make and full description of the material offered if deferred from col.2	Net rated inclusive of all taxes/charge FOR Pantnagar	
				Rate in Figure	Rate in world
1	2	3	4	5	6
1	LatPull Down/ High Pully Machine Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- powder coating. / electrostatic powder coating • Cable-, Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- Tough, tear-resistance durafirm, • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions- 1.2m-2.30m L .55m-1.75m W 1.2m-2.30m H • Product weight- 120kg-300kg • Stack Weight- Standard/ 70kg-120kg 	one			
2	Seated Leg Press Machine / Vertical Leg Press Machine Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- powder coating. / electrostatic powder coating • Cable-Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions-1.5m-2.5 L .60m-2.0m W 1.1m-2.5m H • Product weight- 100kg-300kg • Stack Weight- Standard/ 70kg-120kg 	one			
3	Leg Curl Machine Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Cable- Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent 	one			

(Signature)
Dean Student welfare

G.B. Pant Univ. of Agri & Tech.
Pantnagar-265145 (Uttarakhand)

(Signature)
(Signature)
①

	<ul style="list-style-type: none"> • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions-1.0m-2.5m L .60m-2.00m W 1.1m-2.5m H • Product weight- 100kg-300kg • Stack Weight- Standard/ 70kg-120kg 				
4	<p>Leg Extension Machine</p> <p>Specification:-</p> <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Cable-Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions-1.0m-2.5m L .60m-2.00m W 1.1m-2.5m H • Product weight- 100kg-300kg • Stack Weight- Standard/ 70kg-120kg 	one			
5	<p>Leg Extension and Leg curl Machine (Dual)</p> <p>Specification:-</p> <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Cable-Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions-1.0m-2.5m L .60m-2.00m W 1.1m-2.5m H • Product weight- 100kg-300kg • Stack Weight- Standard/ 70kg-120kg 	one			
6	<p>Biceps curl and Triceps Extension Machine (Dual)</p> <p>Specification:-</p> <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Cable-Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density 	one			

Dean Student welfare

G.B. Pant Univ. of Agri & Tech.
 Pantnagar-263145 (Uttarakhand)

	<ul style="list-style-type: none"> top grade PU foam) • Dimensions-1.0m-2.5m L .60m-2.00m W 1.1m-2.5m H • Product weight- 100kg-300kg • Stack Weight- Standard/ 60kg-120kg 				
7	Cable Crossover Machine Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Cable- Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Handle-and Hand Grips- high density foam rubber • Dimensions-.60m-4m L .60m-4m W 2.1m-3.5m H • Product weight- 150kg-500kg • Stack Weight- Standard/ 70kg-300kg 	One			
8	Abdominal Exercise Machine Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Cable- Self-lubricated, aircraft-quality steel cable • Pulley- Fiber glass reinforced nylon pulley • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent • Handle-and Hand Grips- high density foam rubber • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions-1.1m-2.5m L .60m-2.00m W 1.0m-2.5m H • Product weight- 100kg-300kg • Stack Weight- Standard/ 70kg-120kg 	one			
9	<ul style="list-style-type: none"> • Abdominal Board • Specification:- • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions-1.1m-2.5m L .40m-1.5m W .60m-2.00m H • Product weight- 15kg-80kg 	Two			
10	Preacher CurlBench/ Arm Curl Bench Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Pads- Extra- tough, tear-resistance durafirm, • Seat adjustment- Multi levels Adjustable/equivalent • Cushioning- Heavy duty cushions (high density top grade PU foam) • Dimensions- .60m-1.75m L .50m-1.5m W .30m-1.75m H • Product weight- 25kg-100kg 	Two			

Dean Student welfare

G.B. Pant Univ. of Agri & Tech.
 Pantnagar-261125 (Uttarakhand)

11	Olympic Flat Bench Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Upholstery- superior grade upholstery (high density top grade PU foam) • Dimensions-1.0m-2.5m L .50m-2.0m W 1.2m-2.5m H • Product weight- 30kg-100kg 	Three			
12	Olympic Incline Bench Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Upholstery- Superior grade upholstery (high density top grade PU foam) • Dimensions-1.0m-2.5m L .50m-2.0m W 1.2m-2.5m H • Product weight- 30kg-100kg 	Two			
13	Olympic Decline Bench Specification:- <ul style="list-style-type: none"> • Mainframe- Heavy Gauge / 11 Gauge Steel. • Finish- Powder coating. / electrostatic powder coating • Upholstery- Superior grade upholstery (high density top grade PU foam) • Dimensions-1.0m-2.5m L .50m-2.0m W 1.2m-2.5m H • Product weight- 30kg-100kg 	Two			
14	Olympic Rod / Olympic Barbell Specification:- <ul style="list-style-type: none"> • Material- Hard chrome / stainless steel • Dimensions- Length -2.2m/6.6 Inches/ 7.2 feet, • Weight-20 kg • Grip- 28 mm • Sleeve diameter / Outer ends -50 mm (Suitable for Olympic Bumper Weight Plate) • standard knurl / 5 knurl mark 	Seven			
15	Rubber Weight Plate Specification:- <ul style="list-style-type: none"> • Rubber coated weight plate with rim • Approx 50—51 mm Bore (Suitable for Olympic Rod/ Barbell) • Steering / 3 holes pattern design / Tri -Grip plates • unbreakable weight plate • colored weight plate 	1.5kg – 4 pair 2.5kg- 4 pair 5kg -4 pair 7.5kg-4pair 10kg- 4pair 15 kg-4pair 20kg-2pair 25kg-2pair			
16	Fixed Rubber Dumbbell / Rubber Coated Hex Dumbbell Specification:- <ul style="list-style-type: none"> • Fixed weight rubber dumbbell • Material- Cast Iron / steel dumbbell coated with the rubber • Tear Proof, Soundless & Bouncy Effect. 	1kg-4pair 2.5kg-4pair 5kg-4pair 7.5kg-3pair 10kg-3pair 12.5kg-3pair			

Dean Student welfare

G.B. Pant Univ. of Agri & Tech.
Pantnagar-263145 (Uttarakhand)

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

(9)

		15kg-3pair 17.5kg-2pair 20kg-2pair 22.5kg-1 pair 25kg- 1pair 30kg-1pair			
17	Olympic Barbell Bar Weight Plate / Olympic Bumper Weight Plate Specification:- <ul style="list-style-type: none"> • heavy-duty rubber with Rim • Heavy-duty rubber to prevent scuffing or damage to Equipments, walls & floor • Approx 50—51 mm Bore (Suitable for Olympic Rod/ Barbell) • Plate diameter- standard / 450 mm 	2.5kg-10 pair 5kg-10pair 10kg-10pair 15kg-8pair 20kg-5pair 25kg-2pair 50kg-1pair			

Swast

Swast
Dean Student welfare
G.B. Pant Univ. of Agri & Tech.
Pantnagar-263145 (Uttarakhand)

17	Olympic Barbell Bar Weight Plate / Olympic Bumper Weight Plate Specification:-				
----	--	--	--	--	--

Swast
Dean Student welfare
G.B. Pant Univ. of Agri & Tech.
Pantnagar-263145 (Uttarakhand)